

# **SAFETY DATA SHEET**

**601 POLY OIL SIL** 

# **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

1.1 Trade Name (as labeled): 601 POLY OIL SIL

Synonyms: None CAS No: Mixture

An acrylic emulsion used to promote adhesion over gasoline, grease and oil spots or chemical stains prior to the application of asphalt base sealcoat on asphaltic surfaces. Easy to use on a parking lot, residential street, driveway, airport runway, traffic safety

island or any asphalt surface.

1.3 Company Name:Western ColloidCompany Address:654 E. 60th StreetCompany Address Cont:Los Angeles, CA 90001Business Phone:1-800-464-8292

Website: <u>www.westerncolloid.com</u>

1.4 Emergency Telephone Number:1-323-231-8292Date of Current Revision:October 29, 2017Date of Last Revision:November 30, 2002

### **SECTION 2 - HAZARD IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a light blue liquid with a sweet odor.

Health Hazards: May cause skin and eye irritation. Contains components that may cause cancer.

Flammability Hazards: This product is nonflammable.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

**US DOT Symbols:** 

None

# **EU and GHS Symbols:**

Signal Word: Warning

# 2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

#### EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

**Index Number:** 

EC# 203-545-4 is listed in Annex VI Index# 607-023-00-0

Substances not listed either individually or in group entries must be self-classified.

Components Contributing to Classification: Vinyl Acetate

2.2 Label Elements:

GHS Hazard Classifications: Carcinogenicity Category 2

Hazard Statements: H351: Suspected to cause cancer

**Precautionary Statements:** P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and

understood.

P280: Wear protective gloves/protective clothing/eye protection/face

protection

**Response Statements:** P308+P313 IF exposed of concerned: Get medical advice/attention.

Storage Statements: P405: Store locked up.

**Disposal Statements:** P501: Dispose of contents/container in accordance with

local/regional/national/international regulations

2.3 Other Hazards:

None Applicable

Western Colloid **601 POLY OIL SIL** 

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS					
Hazardous Ingredients:	WT%	CAS No.	EINECS No.	Hazard Classification	
Vinyl Acetate	<0.5	108-05-4	203-545-4	H225: Flammable Liquid Cat 2, H332: Acute Tox Cat 4, H335: STOT SE Cat 3, H351: Carcinogenicity Cat 2	
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory					

sensitizers)

# **SECTION 4 - FIRST AID MEASURES**

4.1 Description of First Aid Measures:

If product enters the eyes, flush with plenty of water or eye wash solution for several minutes. Remove contacts if present and easy to **Eye Contact:** 

do. Seek medical attention if irritation persists.

Wash skin thoroughly with soap and water after handling. Seek medical Skin Contact:

attention if irritation develops and persists.

If breathing becomes difficult, remove victim to fresh air. If necessary, Inhalation:

use artificial respiration to support vital functions. Seek medical

attention.

If product is swallowed, call physician or poison center immediately. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical

advice. Take a copy of the label and/or SDS with the victim to the

health professional.

Medical Conditions Generally Aggravated by

**Exposure:** 

Ingestion:

Pre-existing skin or eye problems may be aggravated by prolonged

contact.

4.2 Symptoms and Effects Both Acute and Delayed:

4.3 Recommendations to Physicians:

Exposure to skin, eyes and respiratory system may cause irritation.

Treat symptoms and eliminate overexposure.

# **SECTION 5 - FIRE FIGHTING MEASURES**

5.1 Fire Extinguishing Materials:

Carbon Dioxide: Yes Water Spray: Yes Use the following fire extinguishing materials: Foam: Yes Dry Chemical: Yes

Halon: Yes Other: Any "C" Class

5.2 Unusual Fire and Explosion Hazards:

5.3 Special Fire-Fighting Procedures:

**Explosive Sensitivity to Mechanical Impact:** No

Explosive Sensitivity to Static Discharge:

Incipient fire responders should wear eve protection.

Structural firefighters must wear Self-Contained Breathing

Apparatus (SCBA) and full protective equipment.


Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk;

otherwise, cool with carefully applied water spray.

If possible, prevent run-off water from entering storm drains, bodies

of water, or other environmentally sensitive areas.

Western Colloid Page 2 of 7 Western Colloid 601 POLY OIL SIL



# SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

### 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

#### **6.2 Environmental Precautions:**

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

#### 6.3 Spill and Leak Response:

**Small Spills:** 

Large Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
   Soak up with absorbent material such as clay, sand or other suitable non-reactive material.
- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

# **SECTION 7 - HANDLING AND STORAGE**

### 7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

#### 7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

### 7.3 Specific Uses:

An acrylic emulsion used to promote adhesion over gasoline, grease and oil spots or chemical stains prior to the application of asphalt base sealcoat on asphaltic surfaces. Easy to use on a parking lot, residential street, driveway, airport runway, traffic safety island or any asphalt surface.

### **SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION**

### 8.1 Exposure Parameters:

<u>Ingredients</u>	CAS No.	OSHA PEL	NIOSH PEL
Vinyl Acetate	108-05-4	(CAL PEL) 10 PPM 30 mg/m <sup>3</sup>	(C) 4 PPM 15 mg/m <sup>3</sup>

Western Colloid Page 3 of 7

Western Colloid 601 POLY OIL SIL

### **8.2 Exposure Controls:**

**Respiratory Protection:** 

**Eye Protection:** 

**Body Protection:** 

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure exposure levels are

maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details

Not required for properly ventilated areas.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member

states.

Safety glasses or goggles are recommended.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards,

or relevant Japanese Standards.

Chemical resistant gloves are recommended to prevent skin contact.

If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European

Standard DIN EN 374, the appropriate Standards of Canada, Australian

Standards, or relevant Japanese Standards.

Use body protect appropriate to task being performed.

If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot

protection, as described in U.S. OSHA 29 CFR 1910.136.

### **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Light blue liquid

Odor: Sweet odor

Odor Threshold: No data available

pH: No data available

Melting/Freezing Point: No data available

**Boiling Point:** 212°F

Flash Point: No data available Evaporation Rate: <1 Water

Flammability (Solid; Gas): No data available

Upper/Lower Flammability or Explosion Limits: Not applicable

Vapor Pressure (mm Hg @ 20°C (68° F): 17

Vapor Density: No data available Relative Density: No data available

Specific Gravity: 1.2 Solubility in Water: Soluble

Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

**Auto-Ignition Temperature:** No data available **Decomposition Temperature:** No data available

Viscosity: No data available

**9.2 Other Information:**No data available

# **SECTION 10 - STABILITY AND REACTIVITY**

**10.1 Reactivity:** This product is not reactive.

**10.2 Stability:** Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Will not occur.

**10.4 Conditions to Avoid:** Heat, sources of ignition.

Western Colloid Page 4 of 7

**Western Colloid 601 POLY OIL SIL** 

Strong oxidizing agents. 10.5 Incompatible Substances: No data available 10.6 Hazardous Decomposition Products:

# **SECTION 11 - TOXICOLOGICAL INFORMATION**

# 11.1 Information on Toxicological Effects:

### **Toxicity Data:**

Hazardous Component	CAS#	LD 50 of Ingredient	LC 50 of Ingredient
Vinyl Acetate	108-05-4	Oral LD 50: 2900 mg/kg Rat Dermal LD 50: 2335 mg/kg Rabbit	Inhalation LC 50: 14.1 mg/l Rat

Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion / irritation	Based on available data, the classification criteria are not met
Serious eye damage / irritation	Based on available data, the classification criteria are not met
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Carcinogenicity Category 2
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Based on available data, the classification criteria are not met
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

#### 11.2 Route of Exposure:

### Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

#### Acute:

Inhalation: No data available.

Skin Contact: Skin contact may cause irritation. Eye Contact: Contact with eyes may cause irritation. Inaestion: Ingestion of this product may cause irritation.

Chronic: Suspected of causing cancer.

**Target Organs:** 

Acute: Eyes, Skin Chronic: Lungs

Ingredients within this product are found on one or more of the following **Suspected Cancer Agent:** 

lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore

are considered to be cancer-causing agents by these agencies.

Irritancy: This product may be an irritant.

Sensitization to the Product: This product is not expected to cause skin sensitization.

This product does not contain ingredients that are suspected to be a **Germ Cell Mutagenicity:** 

germ cell mutagenic.

Reproductive Toxicity: This product is not expected to be a human reproductive toxicant.

# **SECTION 12 - ECOLOGICAL INFORMATION**

12.1 Toxicity: No specific data available on this product. 12.2 Persistence and Degradability: No specific data available on this product. 12.3 Bioaccumulative Potential: No specific data available on this product. No specific data available on this product. 12.4 Mobility in Soil: 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

12.6 Other Adverse Effects: No data available

12.7 Water Endangerment Class: At present, there are no ecotoxicological assessments for this product.

Western Colloid Page 5 of 7 **Western Colloid 601 POLY OIL SIL** 

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste disposal must be in accordance with appropriate U.S. Federal. 13.1 Waste Treatment Methods:

State, and local regulations, those of Australia, EU Member States and

Japan.

13.2 EU Waste Code: Not determined

### **SECTION 14 - TRANSPORTATION INFORMATION**

# 14.1 U.S. Department of Transportation (DOT) Shipping Regulations (BULK):

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

**UN Identification Number:** None

**Proper Shipping Name:** Not Regulated

**Hazard Class Number and Description:** None None **Packing Group:** DOT Label(s) Required: None North American Emergency Response Guidebook None

14.2 Environmental Hazards:

The components of this product are not designated by the Department of **Marine Pollutant:** Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 Special Precaution for User:

14.4 International Air Transport Association Shipping

Information (IATA):

14.5 International Maritime Organization Shipping

Information (IMO):

Number:

This product is not considered as dangerous goods.

This product is not considered as dangerous goods.

#### **SECTION 15 - REGULATORY INFORMATION**

### 15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

# **U.S. SARA Reporting Requirements:**

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

Sara 302/313 CAS #108-05-4 Vinvl acetate

U.S. SARA 311/312:

Acute Health: No; Chronic Health: Yes; Fire: No; Reactivity; No

U.S. CERCLA Reportable Quantity:

Reportable Quantity (RQ): CAS #108-05-4 Vinyl acetate 5000 lbs

**U.S. TSCA Inventory Status:** 

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

### California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

This product does not contain ingredients on the Proposition 65 Lists.

# 15.2 Canadian Regulations:

# Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

### Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

### Canadian WHMIS Classification and Symbols:

This product is classified per WHMIS Controlled Product Regulations.

Western Colloid Page 6 of 7 Western Colloid 601 POLY OIL SIL

#### 15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

### **Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# **15.4 Australian Information for Product:**

Components of this product are listed on the International Chemical Inventory list.

# 15.5 Japanese Information for Product:

**JAPAN INDUSTRIAL SAFETY AND HEALTH LAW:** This product has been classified per the Japan Industrial Safety and Health Law. See Section 2 for the GHS Classification.

# 15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

# **SECTION 16 - ADDITIONAL INFORMATION**

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: October 29, 2017

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. Western Colloid assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Western Colloid assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

**END OF SDS SHEET** 

Western Colloid Page 7 of 7